(September 2001)	FORM APPROVED OMB No. 1004-0136 Expires January 31, 2004				
UNITED STATE DEPARTMENT OF THE I BUREAU OF LAND MANA	5. Lease Serial No. UTU-64380				
APPLICATION FOR PERMIT TO D	6. If Indian, Allottee	or Tribe Name			
	N/A				
1a. Type of Work: DRILL REENTE	7. If Unit or CA Agreement, Name and No.				
	-		N/A	***	
1b. Type of Well: 🖾 Oil Well 🚨 Gas Well 🚨 Other	8. Lease Name and Well No. Federal 6-25-9-16				
Name of Operator Newfield Production Company			9. API Well No. 43-	013-3355	
3a. Address	3b. Phone No. (include area code	·)	10. Field and Pool, or I	Exploratory	
Route #3 Box 3630, Myton UT 84052	(435) 646-3721		Monument Bu	tte	
4. Location of Well (Report location clearly and in accordance with At surface SE/NW 1980' FNL 1980' FWL 57942 & At proposed prod. zone 44283	× 40.003758			Blk. and Survey or Area 5, T9S R16E	
14. Distance in miles and direction from nearest town or post office*		· · · · · · · · · · · · · · · · · · ·	12. County or Parish	13. State	
Approximatley 19.2 miles south of Myton, Utah			Duchesne	UT	
 Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any) Approx. 1980' f/lse, NA' f/unit 	16. No. of Acres in lease 800.00	17. Spacin	ing Unit dedicated to this well 40 Acres		
18. Distance from proposed location* to nearest well, drilling, completed.	19. Proposed Depth	20. BLM/I	BIA Bond No. on file		
applied for, on this lease, ft. Approx. 1215'	5720'		UTB000192		
21. Elevations (Show whether DF, KDB, RT, GL, etc.)	22. Approximate date work will	start*	23. Estimated duration		
5787' GL	3rd Quarter 2007		Approximately seven (7) days from spud to rig release.		
	24. Attachments				
The following, completed in accordance with the requirements of Onsho	re Oil and Gas Order No.1, shall be	attached to this	form:		
 Well plat certified by a registered surveyor. A Drilling Plan. A Surface Use Plan (if the location is on National Forest System SUPO shall be filed with the appropriate Forest Service Office). 	I ands the 5. Operator certif). fication. te specific info	rmation and/or plans as		
25. Signature	Name (Printed/Typed) Mandie Crozier		- 1	Date 2/27/07	
Title To Co.	Mandie Oroziel		<u> </u>	2/27/07	
Regulatory Specialist	Name (Drinted/Tor-1)			Date	
"L'ATTILLE	Name (Printed/Typed) BRADI FY G	шит	1	03 -75-D	
Title	OFFIGURONMENTAL	MANAGER		05.00 0-	

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any person to make to

Application approval does not warrant or certify the the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct

*(Instructions on reverse)

Conditions of approval, if any, are attached.


operations thereon.

FEB 2 8 2007

DIV. OF OIL, GAS & MINING

T9S, R16E, S.L.B.&M.

 $N89^{51}W - 80.10$ (G.L.O.)



= SECTION CORNERS LOCATED

BASIS OF ELEV; U.S.G.S. 7-1/2 min QUAD (MYTON SE) 9 MILE 6-25-9-16 (Surface Location) NAD 83 LATITUDE = 40° 00′ 13.32″ LONGITUDE = 110° 04′ 12.51″

NORTH

NEWFIELD PRODUCTION COMPANY

WELL LOCATION, 9 MILE 6-25-9-16, LOCATED AS SHOWN IN THE SE 1/4 NW 1/4 OF SECTION 25, T9S, R16E, S.L.B.&M. DUCHESNE COUNTY, UTAH.





REDISTRATION ON STRVE
RESISTRATION ON STATE OF STATE OF STATE OF

TRI STATE LAND SURVEYING & CONSULTING

180 NORTH VERNAL AVE. - VERNAL, UTAH 84078 (435) 781-2501

DATE SURVEYED: 10-26-06	SURVEYED BY: C.M.
DATE DRAWN: 11-07-06	DRAWN BY: T.C.J.
REVISED:	SCALE: 1" = 1000'

NEWFIELD PRODUCTION COMPANY FEDERAL #6-25-9-16 SE/NW SECTION 25, T9S, R16E DUCHESNE COUNTY, UTAH

ONSHORE ORDER NO. 1

DRILLING PROGRAM

1. GEOLOGIC SURFACE FORMATION:

Uinta formation of Upper Eocene Age

2. <u>ESTIMATED TOPS OF IMPORTANT GEOLOGIC MARKERS:</u>

Uinta 0' – 1870' Green River 1870' Wasatch 5720'

3. ESTIMATED DEPTHS OF ANTICIPATED WATER, OIL, GAS OR MINERALS:

Green River Formation 1870' - 5720' - Oil

4. PROPOSED CASING PROGRAM

Please refer to the Monument Butte Field Standard Operation Procedure (SOP).

5. MINIMUM SPECIFICATIONS FOR PRESSURE CONTROL:

Please refer to the Monument Butte Field SOP. See Exhibit "C".

6. TYPE AND CHARACTERISTICS OF THE PROPOSED CIRCULATION MUDS:

Please refer to the Monument Butte Field SOP.

7. <u>AUXILIARY SAFETY EQUIPMENT TO BE USED:</u>

Please refer to the Monument Butte Field SOP.

8. <u>TESTING, LOGGING AND CORING PROGRAMS:</u>

Please refer to the Monument Butte Field SOP.

9. <u>ANTICIPATED ABNORMAL PRESSURE OR TEMPERATURE:</u>

The anticipated maximum bottom hole pressure is 1800 psi. It is not anticipated that abnormal temperatures will be encountered.

10. ANTICIPATED STARTING DATE AND DURATION OF THE OPERATIONS:

Please refer to the Monument Butte Field SOP.

NEWFIELD PRODUCTION COMPANY FEDERAL #6-25-9-16 SE/NW SECTION 25, T9S, R16E DUCHESNE COUNTY, UTAH

ONSHORE ORDER NO. 1

MULTI-POINT SURFACE USE & OPERATIONS PLAN

1. EXISTING ROADS

See attached Topographic Map "A"

To reach Newfield Production Company well location site Federal #6-25-9-16 located in the SE 1/4 NW 1/4 Section 25, T9S, R16E, Duchesne County, Utah:

Proceed southwesterly out of Myton, Utah along Highway 40 - 1.6 miles \pm to the junction of this highway and UT State Hwy 53; proceed southeasterly along Hwy 53 - 11.7 miles \pm to it's junction with an existing dirt road to the southwest; proceed southwesterly - 5.8 miles \pm to it's junction with the beginning of the proposed access road; proceed easterly along the proposed access road - 1840' \pm to the proposed well location.

2. PLANNED ACCESS ROAD

See Topographic Map "B" for the location of the proposed access road.

3. <u>LOCATION OF EXISTING WELLS</u>

Refer to Exhibit "B".

4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES

All permanent surface equipment will be painted Carlsbad Canyon.

Please refer to the Monument Butte Field Standard Operating Procedure (SOP).

5. LOCATION AND TYPE OF WATER SUPPLY

Please refer to the Monument Butte Field SOP. See Exhibit "A".

6. SOURCE OF CONSTRUCTION MATERIALS

Please refer to the Monument Butte Field SOP.

7. METHODS FOR HANDLING WASTE DISPOSAL

Please refer to the Monument Butte Field SOP.

8. ANCILLARY FACILITIES

Please refer to the Monument Butte Field SOP.

9. <u>WELL SITE LAYOUT</u>

See attached Location Layout Diagram.

10. PLANS FOR RESTORATION OF SURFACE

Please refer to the Monument Butte Field SOP.

SURFACE OWNERSHIP - Bureau Of Land Management (Proposed location and access roads leading to).

12. OTHER ADDITIONAL INFORMATION

The Archaeological Resource Survey and Paleontological Resource Survey for this area will be forthcoming.

Newfield Production Company requests 1840' of disturbed area be granted in Lease UTU-64380 to allow for construction of the planned access road. Refer to Topographic Map "B". For the planned access road a temporary width of 60' will be needed for construction purposes with a permanent width of 30' and a running surface of 18'. The construction phase of the planned access road will last approximately (5) days. The planned access road will be an 18' crown road (9' either side of the centerline) with drainage ditches along either side of the proposed road whether it is deemed necessary in order to handle any run-off from normal meteorological conditions that are prevalent to this area. The maximum grade will be less than 8%. There will be no culverts required along this access road. There will be barrow ditches and turnouts as needed along this road. There are no fences encountered along this proposed road. There will be no new gates or cattle guards required. All construction material for this access road will be borrowed material accumulated during construction of the access road.

Newfield Production Company requests a 1190' ROW in Lease UTU-15855 and 4200' of disturbed area be granted in Lease UTU-64380 to allow for construction of the proposed surface gas lines. It is proposed that the ROW and disturbed area will temporarily be 50' wide to allow for construction of a 6" gas gathering line, and a 3" poly fuel gas line, with a permanent width of 30' upon completion of the proposed gas lines. The construction phase of the proposed gas lines will last approximately (5) days. Both lines will tie in to the existing pipeline infrastructure. Refer to Topographic Map "C." For a ROW plan of development, please refer to the Monument Butte Field SOP.

Water Disposal

Immediately upon first production, all produced water will be confined to a steel storage tank. If the production water meets quality guidelines, it is transported to the Ashley, Monument Butte, Jonah, and Beluga water injection facilities by company or contract trucks. Subsequently, the produced water is injected into approved Class II wells to enhance Newfield's secondary recovery project.

Water not meeting quality criteria, is disposed at Newfield's Pariette #4 disposal well (Sec. 7, T9S R19E) or at State of Utah approved surface disposal facilities.

Threatened, Endangered, And Other Sensitive Species

Ferruginous Hawk: Due to this proposed well location's proximity (less that 0.5 mile) to an existing inactive ferruginous hawk nest site, no new construction or surface disturbing activities will be allowed between March 1 and July 31. If the nest remains inactive on May 30th (based on a pre-construction survey by a qualified biologist), the operator may construct and drill the location after that date. If the nest site becomes active prior to May 30, no new construction or surface disturbing activities will be allowed within 0.5 mile of the nest until the nest becomes inactive for two full breeding seasons. In the event that this well becomes a producing well, it must be equipped with a multi-cylinder engine or hospital muffler to reduce noise levels.

Reserve Pit Liner

A 12 mil liner with felt is required. Please refer to the Monument Butte Field SOP.

Location and Reserve Pit Reclamation

Please refer to the Monument Butte Field SOP.

The following seed mixture will be used on the topsoil stockpile, to the recontoured surface of the reserve pit, and for final reclamation: (All poundages are in pure live seed)

Shadscale

Atriplex Centertifolia

3 lbs/acre

Galletta Grass

Hilaria Jamesii

3 lbs/acre

Details of the On-Site Inspection

The proposed Federal #6-25-9-16 was on-sited on 11/30/06. The following were present; Dave Allred (Newfield Production), Chuck Macdonal (Bureau of Land Management), and Charlie Sharp (Bureau of Land Management). Weather conditions were clear and ground cover was 90% open.

13. <u>LESSEE'S OR OPERATORS REPRESENTATIVE AND CERTIFICATION</u>

Representative

Name:

Dave Allred

Address:

Route #3 Box 3630

Myton, UT 84052

Telephone:

(435) 646-3721

Certification

Please be advised that NEWFIELD PRODUCTION COMPANY is considered to be the operator of well #6-25-9-16 SE/NW Section 25, Township 9S, Range 16E: Lease UTU-64380 Duchesne County, Utah: and is responsible under the terms and conditions of the lease for the operations conducted upon the leased lands. Bond coverage is provided by US Specialty Insurance #B001832.


I hereby certify that the proposed drill site and access route have been inspected, and I am familiar with the conditions which currently exist; that the statements made in this plan are true and correct to the best of my knowledge; and that the work associated with the operations proposed here will be performed by Newfield Production Company and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

2/27/06

Date

Mandie Crozier Regulatory Specialist


Newfield Production Company





NEWFIELD PRODUCTION COMPANY


CROSS SECTIONS

9 MILE 6-25-9-16









1" = 50'

STA. 0+00

ESTIMATED EARTHWORK QUANTITIES
(No Shrink or swell adjustments have been used)
(Expressed in Cubic Yards)


	_` '			
ITEM	CUT	FILL	6" TOPSOIL	EXCESS
PAD	1,880	1,870	Topsoil is not included	10
PIT	640	0	in Pad Cut	640
TOTALS	2,520	1,870	1,000	650

NOTE: UNLESS OTHERWISE NOTED ALL CUT/FILL SLOPES ARE AT 1.5:1

SURVEYED BY:	C.M.	SCALE:	1" = 50'
DRAWN BY:	T.C.J.	DATE:	11-07-06

/Tri State	(435) 781–2501
/ Land Surveying,	Inc.
180 NORTH VERNAL AVE. VE	RNAL, UTAH 84078

NEW FIELD PRODUCTION COMPANY TYPICAL RIG LAYOUT 9 MILE 6-25-9-16



SURVEYED BY:

DRAWN BY:


Dewfield Production Company Proposed Site Facility Diagram


Federal 6-25-9-16


SE/NW Sec. 25, T9S, R16E


Duchesne County, Utah

UTU-64380










4	3	2	1	3	6	5	4	3	2	f	6	5	4	3	2	1	6		5	3	2	2		ewfield Wells Location	
g	10	,	1 1:	2	7	8	g	10	11	12	7	8	9	10	11	12	7		В	10	5	11	12	Surface Spud Drilling Waiting on Com Producing Oil W	fell
16	15	4\$-R		3	18	17	T4S-	R2W 15	14	13	18	17	14S-	R1W	14	13	18			4S-R1		14	13	Producing Gas \ Water Injection \ Dry Hole Temporarily Aba Plugged & Aban	Well
21	22	2			19	20	21	22	23	2-24 24 7-24 10-24		5-20R 20	21 14 91p2B	22	23 11-23	24 86-R1	7.5			1 22	2 2	23	24 7	Shut In Water Source W Water Disposal Injection Station	/ell Well
28	27	2	6 2	25	30	29	28	Fenocine 23 Hawkeye	14 123 224 33 7.23 8-23 63 Monus	13 4 2-24 1-24 4-19 3 4 7-34 8-34 8-19 6 fiens Buse NE 19, 11	Greater Bour	-20 / 20 8-20 21 6-2	10-21 6-21 25-22Y	1-22, 1-32 22-22-0-32 32-22-23 3-22-23	223 Autrophi 2237-23 23 23 237-23 23 12-34 1 23 23 13-3	3 25 100 1024 124 125 1024 124 125	ath Pariette	20	29	2:	7 2	26		nitOutlines	
33	34	35	25	19 +30 30 T8S-	29 D 1 6 F	Travis	1 1 27	4-26 £ 36 £ 8-27 6-26 €	23 226 1.26 4.25 1.26 4.26 1.26 4.26 1.26 4.26 1.26 1.26 1.26 1.26 1.26 1.26 1.26 1	2 225 231 4394 2 4 225 630 6 10 23 6 25 230	10 31 30 (30 429 5 30 7-30 6-30 6-29 10-30 6-30 12-29	29 223 1.28 4.28 29 28 8-29 5.28 6-2 10-29 9-29 128	2-28 1-38 4-29 6 1-28 -21 10-28 5-28 11/20	16-22 16-20 A 2-27 1-27 28 1-21 8-27 6-26	26 2-26 1A-25 1A-25 1A-26 2-26 1-26 9-29 1	21-25 1-25 1-25 5 8-25 1-25 1-25 1-25 1-25 1-25 1-25 1-25 1	3 15 12 46 40 3 3 0 3 0 23 30 10 30 3 3 0	329 329 29 62832-29 10-29	8S-R1	33 38 27 43-27	36-2	35 125	38 S-R1	31 32	3
4	3	2-35R 35	36 🐔 R15E+	West Point	Wells Oron 4-37 3-32 5-32 8 13-32 33-32 6	130 223 4-33 3-32 23 1-32 633 33-	1 1-33 4-34 5-34 1-33 6-34 6-34 1-33 6-34 6-34	Monuportal But 234 134 53 734 634 533 6	5. 3.3 s. 9.3 s. 5.3 s.	onument suite E 92 - 36 1-30 - 34 12-31 12-31 12-31	951 (9150 312-31 1-31 32 32 1 31 7-318-31 5-32 6 9-31 12-32	10 min	1525 230 331 34 634 3 231 3 231 3 231 3 231 3 231 3 231 3 231	2-34 1-34 35 1-34 9-34 5-38 34 9-34 12-31	7.35 8.35 2.35 9.35	ekirk Spring S 3-36 2-35 1-36 4- 6-36 1-36 8-36 6-3 38 10-36 9-36	18-30 16-30 Indende 11 3-31	32332 1328 32 + 732832 632 32 532 932	3.53 2.53 1.53 5.33 6.53 7.53 8.53 33 11.33 9.53	Pariette 34 42-34 3-34 43-34	2.35 3.35 42.3 35 13.35	9 36-K # 36 66-M	***	6 5 5 5 1 T5S	3-R2E
9	10	A hiey • 12 2 6-2 1-2 6-2 2 6-2 1-2 6-2 2 (1-2 10-2 6-2	215E + 12 51 51 51 51 51 51 51 51 51 51 51 51 51	60 hs 41-0 hs 60 / 42-0 2-0 hs 33-04	24-32 4 11-5 31-56	21-43 6-5 6-19 13-4 10	43 33 43 33 43 43 43 43 43 43 43 43 43 4	3 2-2-6	18-25 (2 22 18-2 23 (2 2 12 82 83 84 8 (2-18-26) 2 (32 1)	31-U24 341 12-11 12-6 13 1-33 1-35-62	1-3 31-5 41-6 (5A ² 42-6 2-5 3-6 33-6 13-5	15 51.5 1.5 4.18 2.5 1.5 4.5 105 1.5 4.18	24 14 32-48 / 53 53 4 10-4 94 33-24	2Å-3 11/3 37 3-9 12-2 1 10-3 6-9 13-2	Dpmw 12 12 13 14 15 15 15 15 15 15 15 15 15 15 15 15 15	11.1 . 6.1 12.	6.5 7.6 5 1.6 10.6 5.6 5 1.6 1.6 5 1.6 5	31.57 8.5 6.5 7.5 12.511.510.5 8.5 14.5 16.5	34 24 14 454 64 74 84 114 184 94	3 63	42 3.2 2.2 1.2 5.2 6.2 1.2 6.2 2 10.2 9.2	1		13-4	1
16	15 1-10 9-10 10 5-10	1 511 11 61 1 611 11 61 1 611 11 61	14-1 Ashley PA 12 3-12 2-121-12 5-12 6-12 7-128-12 10-12 5-1	61 61 61 61 61 61 61 61 61 61 61 61 61 6	7(12.6 14.5 15.3 16.8 16.8 16.8 16.8 16.8 16.8 16.8 16.8	110212	54 16-4 -0 -10 -10 -10 -10 -10 -10 -10	2-10 Jonal 2-10 4-11 5 07-10 77 12-11J	25/11 2-12 25/11 2-12 21/13 43-11 1	12-1 41-1 1-7 J 22-12 J 2-7 7 Bek	7-C31-7J 7A 4-6 2 2-7-6-7 8 2 11-7 43-7 13-8	Sent Velley 1-8H 41-8- 21- 2-8H 42-8- 9 22- 3-8 53-8 43-8 14-28H	9H 7-3 8H 7-3 8H 8-9 10 22-10	2-10 11 12 10 5-10 12-11	311 2-11 (14-12-12-12-12-12-12-12-12-12-12-12-12-12-	3-12 2-12 1-12 4-1 12 6-12 7-128-12 8- 2 10-12 1-12 12-12	\$7 27 67 67 65 67 1 6.7 6 67 1 6.7 6 7 67	4.8 3.8 2.8 1.6 6.8 6.8 1.8 6.3 12.8 11.8 10.8 2.8 14.8 15.8 16.8	49 39 29 19 59 69 79 81 29 11 9 10 9	10 5-10	11 12-11	12	7 2	- Ta	9
K	18 1.184 18 1.184 18 1.18 5 18 1.18 2	14 14 0.14	12-13 / 10-13 6-1	18 ₃₁₋₁₅	4-17 3-17 2-171 197 - 17 2 12-17 10-17 8	1-17 3-17 16 3-17	15 22-1	31-15 41-15 321- 15 42-15 6-34 6 45 9-35 2-34 1	14 241-14 21- 14 241-14 5-136 1-14 9-14 1	13 7-13 8-13 13 7-13 8-13 1-13 8-13 1-13 16-13	18 T B-16 12-17 2 B-18 5	17 41-17 16-5 17 35-17 17-1 123-5 15-17 17-1 18-14	7-16 B-16 5-15 6-1	5 7-15 5-14 10-15 144	174 2-14 1-14 174 8-14 12 18-14 12 18-14 12	3-13 1-13 4 13 7-13 5-1 13 16-13 9-13 18 14-13 16-13	93-18 1-18 8 11-18 3-18 15-18	5-17 5-17 7-17 17 \$-17 12-17 15-17	3-16 1-16 16 11-16 9-16	15	9S-R18	13 7-13	-18	79S-R19	16
22 6. 2-22	\$22.22 22 22 22 2 22 22	23 5.23 2.23 6.21 23 6.23 7.23 8.21 11.23 5.21	424 324 224 12 624 624 82 94 1124 924 1424 1624	4 19	8 31-20G 20 22-20 11-20	5-21 6-21 21	41-21V 11-22 22	1.22 2 8.22 23 6 3-R16F	23 7.23 + s.23	24	29-11 19 9-19	20 20 795	621 + 22 G	22 2-22 2	23 23-23	24	31-197 1 19 42-19 43-19	-20Y 29 22-20Y Y	21	22	2-23 23	24	19	20	21
-27 -27 -27	3-272-27	26 26 3.26 4 9.2 9.2	25 6-25 7-25	9S-R1		28			1-26	25 Y 25	41 ⁰ -30			27	26	2-25 2-5	30	29 32-29	28	27	26	25	30	29	28
9-07	34	35	36	31	32	33		34	35	36	31	32	33	34	35	41-367 36	31	32	33	34 \$.34	35	36	31	32 NEWFIELD	33
Ö	5-R3	2	1	8	5	4		3	2	1	6	5	4	3	2	1	6	5	4	3	2	1		OCKY MOUNTAIN	1
	T1	9 8-R1	12	7	8	T11	03-R1	18E	11	12	7	3	10S-R	17E	11	12	7	8	1108	R18E	11	12	Jame Plaza Sudding 401 17th Street Build	Exhibit A Ducheme & Uintah Counti	
	16	-14	13	18	17		3	15	14	13	18	17	16	15	14	13	18	17	16	15	14	13	Server, Colorado 802 Trans: (203) 893-010	02-1647 12	Sirvery (d

+



2-M SYSTEM

Blowout Prevention Equipment Systems





EXHIBIT C

APD RECEIVED: 02/28/2007	API NO	. ASSIGNED: 43-0	13-33557
WELL NAME: FEDERAL 6-25-9-16 OPERATOR: NEWFIELD PRODUCTION (N2695) CONTACT: MANDIE CROZIER	PHONE NU	MBER: 435-646-37	21
PROPOSED LOCATION:	INSPECT	LOCATN BY: /	/
SENW 25 090S 160E	Tech Re	view Initials	Date
SURFACE: 1980 FNL 1980 FWL BOTTOM: 1980 FNL 1980 FWL	Enginee	ring	
COUNTY: DUCHESNE	Geology		
LATITUDE: 40.00376 LONGITUDE: -110.0695 UTM SURF EASTINGS: 579426 NORTHINGS: 44283	79 Surface		
FIELD NAME: MONUMENT BUTTE (105			
LEASE TYPE: 1 - Federal LEASE NUMBER: UTU-64380 SURFACE OWNER: 1 - Federal		FORMATION: GR	PRV
Plat Plat Bond: Fed[1] Ind[] Sta[] Fee[] (No. UTB000192	R649-3-3. Drilling Board Ca Eff Date Siting:	General 0 From Qtr/Qtr & 920' Exception Unit use No:	
COMMENTS: Sop, Separate 1	3 le		
STIPULATIONS: 1- Ceden Operar			





State of Utah

Department of Natural Resources

MICHAEL R. STYLER Executive Director

Division of Oil, Gas & Mining

JOHN R. BAZA
Division Director

JON M. HUNTSMAN, JR. Governor

> GARY R. HERBERT Lieutenant Governor

March 5, 2007

Newfield Production Company Rt. #3, Box 3630 Myton, UT 84052

Re:

Federal 6-25-9-16 Well, 1980' FNL, 1980' FWL, SE NW, Sec. 25, T. 9 South,

R. 16 East, Duchesne County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann.§ 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-013-33557.

Sincerely,

Gil Hunt

Associate Director

Stig ZLt

pab Enclosures

cc:

Duchesne County Assessor

Bureau of Land Management, Vernal District Office

Operator:	Newfield Produc	ction Company					
Well Name & Number	Federal 6-25-9-1	6					
API Number:	43-013-33557						
Lease:	UTU-64380						
Location: SE NW	Sec. 25	T. 9 South	R. 16 East				

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

Notify the Division with 24 hours of spudding the well.

• Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

• Contact Dustin Doucet at (801) 538-5281 office (801) 733-0983 home

3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

- 4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.
- 5. This proposed well is located in an area for which drilling units (well spacing patterns) have not been established through an order of the Board of Oil, Gas and Mining (the "Board"). In order to avoid the possibility of waste or injury to correlative rights, the operator is requested, once the well has been drilled, completed, and has produced, to analyze geological and engineering data generated therefrom, as well as any similar data from surrounding areas if available. As soon as is practicable after completion of its analysis, and if the analysis suggests an area larger than the quarter-quarter section upon which the well is located is being drained, the operator is requested to seek an appropriate order from the Board establishing drilling and spacing units in conformance with such analysis by filing a Request for Agency Action with the Board.



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Vernal Field Office 170 South 500 East Vernal, UT 84078 (435) 781-4400 Fax: (435) 781-4410



IN REPLY REFER TO: 3160 UT08300

August 9, 2007

Mandie Crozier Newfield Production Company Route 3, Box 3630 Myton, UT 84052

43.013.33557

Re: Well No. Federal 6-25-9-16 SENW, Sec. 25, T9S, R16E Duchesne County, Utah

Lease No. UTU-64380

Dear Ms. Crozier:

The Application for Permit to Drill (APD) the above referenced well submitted February 28, 2007 is being returned unapproved as per your request to this office. This is due to the fact that this APD was proposed in an area that has not been analyzed for full development. Should future actions result in Newfield proposing to drill at this location a new APD may be resubmitted.

If you have any questions concerning this matter, please contact me at (435) 781-4440.

Sincerely,

Serry Kenczka

Assistant Field Manager
Lands & Minerals Resources

Enclosures

cc: UDOGM - Diana Mason

RECEIVED AUG 1 6 2007





State of Utah

Department of Natural Resources

MICHAEL R. STYLER Executive Director

Division of Oil, Gas & Mining

JOHN R. BAZA Division Director

JON M. HUNTSMAN, JR. Governor

GARY R. HERBERT Lieutenant Governor

RECEIVED VERNAL FIELD OFFICE

March 5, 2007 MAR 12 PM 2: 23

DEPT. OF THE INTERIOR BUREAU OF LAND MGMT.

Newfield Production Company Rt. #3, Box 3630 Myton, UT 84052

Re:

Federal 6-25-9-16 Well, 1980' FNL, 1980' FWL, SE NW, Sec. 25, T. 9 South,

R. 16 East, Duchesne County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann.§ 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-013-33557.

Sincerely,

Gil Hunt

Associate Director

Stip ZLI

pab Enclosures

cc:

Duchesne County Assessor

Bureau of Land Management, Vernal District Office



State of Utah DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER
Executive Director

Division of Oil Gas and Mining

JOHN R. BAZA
Division Director

March 18, 2008

Mandie Crozier Newfield Production Co Route 3 Box 3630 Myton, UT 84052

43 013 33557 95 16E 25

Re: APDs Rescinded at the request of Newfield Production Company

Dear Ms. Crozier:

Enclosed find the list of APDs that you requested to be rescinded to Newfield Production Company. No drilling activity at these locations has been reported to the division. Therefore, approval to drill these wells is hereby rescinded, effective March 14, 2008.

A new APD must be filed with this office for approval <u>prior</u> to the commencement of any future work on the subject locations.

If any previously unreported operations have been performed on this well location, it is imperative that you notify the Division immediately.

Sincerely,

Diana Mason

Environmental Scientist

cc:

Well File

Bureau of Land Management, Vernal



Federal 6-28-9-17

Federal 5-25-9-16

Federal 6-25-9-16

Federal 7-25-9-16

Federal 8-25-9-16

Federal 9-25-9-16

Federal 11-25-9-16

Federal 15-25-9-16

Federal 16-25-9-16

Federal 12-9-9-16